

## Sash Window Shop - classic plus French door ironmongery

There is a vast range of ironmongery available for doors. Our traditional French doors come with a choice of solid metal fittings, including handles and hinges. Bespoke fittings can also be arranged on individual specification.

*Please indicate your choice of ironmongery by placing a tick in the box.*

### Lever Handles On Backplate:

1. Linea



Polished Brass



Polished Chrome



Satin Chrome

2. ProLinea



Polished Brass



Polished Chrome



Satin Chrome

3. Rosa



Polished Brass



Polished Chrome



Satin Chrome

## 1 Star Security Euro Profile Double Cylinder (GZD)

The GZD range of high security Kite Marked 6 Pin Euro Profile Double Cylinders. Conforms to **BS EN 1303: 2005, TS 007: 2012, BS EN 1634-1: 2000,**

Anti-attack features include:

- \* Hardened steel Anti-Drill Pins
- \* Plugs and Disc
- \* A sacrificial cut Snap-Off Front Section ('Anti-Snap')
- \* Special Anti-Pick Pins
- \* A unique Anti-Bump feature
- \* Available in Keyed Alike supplied with 2 keys, or Keyed to Differ supplied with 3 keys as standard.

We advise you look after your cylinder with KABA Cylinder Lubricating Spray, you should NOT use products like spray oils to free up the cylinder as these attract dust which clogs the cylinders and actually increase the risk of failure.



## 3D Heavy Duty Adjustable Door Hinge

The 3D Adjustable Door Hinge is the ideal solution for high performance applications. Featuring low-friction bearings for smooth door opening, it offers guaranteed reliable, trouble free operation.



Stainless Brass



Bright Stainless Steel



Satin Stainless Steel





**Locking System:** Winkhaus FGTE Security double door locking system for timber doors.

**Advantages:**

- ◆ Door construction techniques the same as traditional joinery methods used in laminated engineered timber
- ◆ Shootbolts on slave door
- ◆ Lever operated 25mm throw security hooks help counter bow and twist and aid the easy operation of the locking system
- ◆ For a traditional appearance handles are fitted to both slave and master door
- ◆ Slave and Master door have independent cylinder locking capability and can be keyed alike
- ◆ Shootbolts can be cropped to size to suit individual door leaf height
- ◆ Fully adjustable centre latch striking plate +/- 2mm to prevent door edge damage
- ◆ Locking point compression adjustment +/- 2mm & Fully adjustable shootbolt keeps +/-2mm
- ◆ Security hook fitted in a lower position to allow for lower height double doors
- ◆ Suitable for both inward and outward double doors.

